





# MDM-1516



Curve No. IP20407.C	Max Impeller Dia: 5.52"	Suction: 1.5"
RPM: 3500	# of Vanes: 6	Discharge: 1"
Date: 9/10/2012	Approved:	




# MDM-1518



Curve No. IP20409.D	Max Impeller Dia: 6.70"	Suction: 1.5"
RPM: 3500	# of Vanes: 6	Discharge: 1"
Date: 9/10/2012	Approved:	



# MDM-15182




Curve No. IP20517.B	Max. Impeller Dia. 8.86"	Suction: 1.5"
RPM: 3500	Min. Impeller Dia. 6.30"	Discharge: 1"
Date: 9/10/2012	Approved: <b>PB</b>	Ref:

Performance based on water at 70°F (21°C).  
 Fluids with specific gravities other than 1.0 should be reviewed by the factory.




# MDM-2156



Curve No. IP20410.C	Max Impeller Dia: 5.70"	Suction: 2"
RPM: 3500	# of Vanes: 6	Discharge: 1.5"
Date: 9/10/2012	Approved:	



# MDM-2158




Curve No. IP20518.B	Max. Impeller Dia. 8.86"	Suction: 2"
RPM: 3500	Min. Impeller Dia. 6.30"	Discharge: 1.5"
Date: 9/10/2012	Approved: <b>PB</b>	Ref:

Performance based on water at 70°F (21°C).  
 Fluids with specific gravities other than 1.0 should be reviewed by the factory.




# MDM-2526



Curve No. IP20412.C	Max Impeller Dia: 6.30"	Suction: 2.5"
RPM: 3500	# of Vanes: 6	Discharge: 2"
Date: 9/10/2012	Approved:	



# MDM-326



Curve No. IP20411.D	Max Impeller Dia: 6.70"	Suction: 3"
RPM: 3500	# of Vanes: 6	Discharge: 2"
Date: 9/10/2012	Approved:	